ataxia neuropathy spectrum

Ataxia neuropathy spectrum is part of a group of conditions called the *POLG*-related disorders. The conditions in this group feature a range of similar signs and symptoms involving muscle-, nerve-, and brain-related functions. Ataxia neuropathy spectrum now includes the conditions previously called mitochondrial recessive ataxia syndrome (MIRAS) and sensory ataxia neuropathy dysarthria and ophthalmoplegia (SANDO).

As the name implies, people with ataxia neuropathy spectrum typically have problems with coordination and balance (ataxia) and disturbances in nerve function (neuropathy). The neuropathy can be classified as sensory, motor, or a combination of the two (mixed). Sensory neuropathy causes numbness, tingling, or pain in the arms and legs, and motor neuropathy refers to disturbance in the nerves used for muscle movement.

Most people with ataxia neuropathy spectrum also have severe brain dysfunction (encephalopathy) and seizures. Some affected individuals have weakness of the external muscles of the eye (ophthalmoplegia), which leads to drooping eyelids (ptosis). Other signs and symptoms can include involuntary muscle twitches (myoclonus), liver disease, depression, migraine headaches, or blindness.

Frequency

The prevalence of ataxia neuropathy spectrum is unknown.

Genetic Changes

Ataxia neuropathy spectrum is caused by mutations in the *POLG* gene or, rarely, the *TWNK* gene.

The POLG gene provides instructions for making one part, the alpha subunit, of a protein called polymerase gamma (pol γ). The TWNK gene provides instructions for making a protein called Twinkle. Pol γ and Twinkle function in mitochondria, which are structures within cells that use oxygen to convert the energy from food into a form cells can use. Mitochondria each contain a small amount of DNA, known as mitochondrial DNA (mtDNA), which is essential for the normal function of these structures. Pol γ and Twinkle are both integral to the process of DNA replication by which new copies of mtDNA are produced.

Mutated pol γ or mutated Twinkle reduce mtDNA replication. Although the mechanisms are unknown, mutations in the *POLG* gene often result in fewer copies of mtDNA (mtDNA depletion), and mutations in the *TWNK* gene often result in deletions of large regions of mtDNA (mtDNA deletion). MtDNA depletion or deletion occurs most

commonly in muscle, brain, or liver cells. MtDNA depletion causes a decrease in cellular energy, which could account for the signs and symptoms of ataxia neuropathy spectrum. It is unclear what role mtDNA deletions play in the signs and symptoms of the condition.

Inheritance Pattern

Ataxia neuropathy spectrum can have different inheritance patterns depending on the associated gene.

Mutations in the *POLG* gene cause a form of the condition that is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Mutations in the *TWNK* gene cause a form of the condition that is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Other Names for This Condition

- ANS
- MIRAS
- mitochondrial recessive ataxia syndrome
- SANDO
- sensory ataxia neuropathy dysarthria and ophthalmoplegia

Diagnosis & Management

These resources address the diagnosis or management of ataxia neuropathy spectrum:

- GeneReview: POLG-Related Disorders https://www.ncbi.nlm.nih.gov/books/NBK26471
- Genetic Testing Registry: Sensory ataxic neuropathy, dysarthria, and ophthalmoparesis https://www.ncbi.nlm.nih.gov/gtr/conditions/C1843851/
- National Ataxia Foundation: Gene Testing for Hereditary Ataxia http://www.ataxia.org/pdf/Gene_Testing_for_Hereditary_Ataxia.pdf
- United Mitochondrial Disease Foundation: Getting a Diagnosis
 http://www.umdf.org/what-is-mitochondrial-disease/getting-a-diagnosis/

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html

Additional Information & Resources

MedlinePlus

- Health Topic: Balance Problems https://medlineplus.gov/balanceproblems.html
- Health Topic: Degenerative Nerve Diseases https://medlineplus.gov/degenerativenervediseases.html
- Health Topic: Genetic Brain Disorders https://medlineplus.gov/geneticbraindisorders.html
- Health Topic: Movement Disorders https://medlineplus.gov/movementdisorders.html
- Health Topic: Seizures https://medlineplus.gov/seizures.html

Genetic and Rare Diseases Information Center

 Sensory ataxic neuropathy, dysarthria, and ophthalmoparesis https://rarediseases.info.nih.gov/diseases/9998/sensory-ataxic-neuropathydysarthria-and-ophthalmoparesis

Additional NIH Resources

 National Institutes of Health Rare Diseases Clinical Research Network: North American Mitochondrial Disease Consortium http://www.rarediseasesnetwork.org/cms/NAMDC

Educational Resources

- Cleveland Clinic Online Health Chats: Understanding Mitochondrial Disorders http://my.clevelandclinic.org/health/transcripts/parikh_und erstanding_mitochondrial_disorders
- Cleveland Clinic: Mitochondrial Diseases http://my.clevelandclinic.org/health/articles/myths-and-facts-about-mitochondrial-diseases
- MalaCards: ataxia neuropathy spectrum http://www.malacards.org/card/ataxia_neuropathy_spectrum
- Mayo Clinic: Mitochondrial Disease Biobank http://www.mayo.edu/research/centers-programs/mitochondrial-disease-biobank/ overview
- Orphanet: Sensory ataxic neuropathy-dysarthria-ophthalmoparesis syndrome http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=70595

Patient Support and Advocacy Resources

- MitoAction http://www.mitoaction.org/
- Muscular Dystrophy Association: Mitochondrial Myopathies https://www.mda.org/disease/mitochondrial-myopathies
- National Ataxia Foundation http://www.ataxia.org/
- United Mitochondrial Disease Foundation: What is Mitochondrial Disease?
 http://www.umdf.org/what-is-mitochondrial-disease/

GeneReviews

 POLG-Related Disorders https://www.ncbi.nlm.nih.gov/books/NBK26471

Genetic Testing Registry

 Sensory ataxic neuropathy, dysarthria, and ophthalmoparesis https://www.ncbi.nlm.nih.gov/gtr/conditions/C1843851/

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22ataxia+neuropathy+spectrum
 %22+OR+%22Mitochondrial+Diseases%22

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28miras%5BTIAB%5D%29+OR+%28sando%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D

OMIM

 SENSORY ATAXIC NEUROPATHY, DYSARTHRIA, AND OPHTHALMOPARESIS http://omim.org/entry/607459

Sources for This Summary

- Chan SS, Longley MJ, Copeland WC. The common A467T mutation in the human mitochondrial DNA polymerase (POLG) compromises catalytic efficiency and interaction with the accessory subunit. J Biol Chem. 2005 Sep 9;280(36):31341-6. Epub 2005 Jul 16.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16024923
- GeneReview: POLG-Related Disorders https://www.ncbi.nlm.nih.gov/books/NBK26471
- Hudson G, Deschauer M, Busse K, Zierz S, Chinnery PF. Sensory ataxic neuropathy due to a novel C10Orf2 mutation with probable germline mosaicism. Neurology. 2005 Jan 25;64(2):371-3.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15668446
- Milone M, Massie R. Polymerase gamma 1 mutations: clinical correlations. Neurologist. 2010 Mar; 16(2):84-91. doi: 10.1097/NRL.0b013e3181c78a89. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20220442
- Moraes CT, Shanske S, Tritschler HJ, Aprille JR, Andreetta F, Bonilla E, Schon EA, DiMauro S. mtDNA depletion with variable tissue expression: a novel genetic abnormality in mitochondrial diseases. Am J Hum Genet. 1991 Mar;48(3):492-501.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/1998336
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1682992/
- Rocher C, Taanman JW, Pierron D, Faustin B, Benard G, Rossignol R, Malgat M, Pedespan L, Letellier T. Influence of mitochondrial DNA level on cellular energy metabolism: implications for mitochondrial diseases. J Bioenerg Biomembr. 2008 Apr;40(2):59-67. doi: 10.1007/s10863-008-9130-5. Epub 2008 Apr 16.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18415670
- Stumpf JD, Copeland WC. Mitochondrial DNA replication and disease: insights from DNA polymerase γ mutations. Cell Mol Life Sci. 2011 Jan;68(2):219-33. doi: 10.1007/s00018-010-0530-4. Epub 2010 Oct 8. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20927567
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3046768/
- Van Goethem G, Martin JJ, Dermaut B, Löfgren A, Wibail A, Ververken D, Tack P, Dehaene I, Van Zandijcke M, Moonen M, Ceuterick C, De Jonghe P, Van Broeckhoven C. Recessive POLG mutations presenting with sensory and ataxic neuropathy in compound heterozygote patients with progressive external ophthalmoplegia. Neuromuscul Disord. 2003 Feb;13(2):133-42.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12565911

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/ataxia-neuropathy-spectrum

Reviewed: June 2011

Published: February 14, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services